

	Type	L #	Hits	Search Text	Dbs	Time Stamp
1	IS&R	L1	1	("3280082").PN.	USPAT	2004/08/17 12:53
2	IS&R	L2	1	("5468550").PN. ("3280082" "3650874" "3660530" "3801531" "3867247" "3887530" "3919358" "3941859" "4036912" "4130535" "4210579" "4212787" "4220579" "4229504" "4247661" "4263186" "4355139" "4435466" "4438228" "4480012" "4480065" "4514442" "4537825" "4599258" "4601935" "4687810" "4732925" "4742119" "4767658" "4778852" "4801639" "4803020" "4833194" "4839412" "4845145" "4851463" "4855362" "4894408" "4897137" "4912148" "4918127" "4944818" "4985502" "4990568" "4994328" "5051477" "5070111" "5073597" "5084119" "5086121" "5126384" "5130355" "5206305").PN.	USPAT	2004/08/17 12:59
3	BRS	L3	53		USPAT	2004/08/17 12:59
4	BRS	L4	0	L3 and 'aquaculture'	USPAT	2004/08/17 12:59
5	BRS	L5	0	L3 and 'shrimp'	USPAT	2004/08/17 12:59
6	IS&R	L6	3200	(119/200-269).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 13:00
7	BRS	L7	1	L6 and 'EPDM'	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 13:24

	Type	L #	Hits	Search Text	Dbs	Time Stamp
8	BRS	L8	3	'EPDM' and 'aquaculture'	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 13:04
9	BRS	L9	23621	'EPDM'	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 13:05
10	BRS	L10	2528	L9 and 'accelerator'	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 13:05
11	BRS	L11	1522	L10 and ('cure' or 'curing agent' or 'cured')	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 13:06
12	BRS	L12	0	L11 and 'thiaxole'	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 13:06
13	BRS	L13	208	L11 and 'thiazole'	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 13:06
14	BRS	L14	137	L13 and ('dithiocarbamate' or 'guanidine')	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 13:07
15	BRS	L15	0	L14 and ('shrimp' or 'crayfish' or 'vannamei' or 'setiferus')	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 13:20
16	BRS	L16	3	L14 and ('tank' or 'pond')	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 13:09
17	BRS	L17	0	L6 and ('ethylene' adj 'propylene' adj 'diene' adj 'terpolymer')	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 13:11
18	BRS	L18	38	L6 and (ethylene propylene diene terpolymer)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 13:11
19	BRS	L20	3	L19 and 'carbon black'	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 13:12

	Type	L #	Hits	Search Text	DBs	Time Stamp
20	BRS	L19	5	L18 and 'sulfur'	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 13:18
21	BRS	L21	7	L9 and ('shrimp' or 'crayfish' or 'vannamei' or 'setiferus')	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 13:21
22	BRS	L22	1	L6 and 'rubber polymer'	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 13:22
23	BRS	L23	6	L6 and 'synthetic rubber'	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 13:22
24	BRS	L24	0	L6 and 'terpolymer'	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 13:24
25	BRS	L25	0	L6 and 'terpolymers'	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 13:27
26	BRS	L26	32	L6 and 'liner'	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 13:38
27	IS&R	L27	1	("5854327").PN.	USPAT	2004/08/17 13:57
28	BRS	L28	3087	'epdm' and 'amorphous'	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 13:58
29	BRS	L29	80	L28 and 'sulfur cured'	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 13:58
30	BRS	L30	14	L29 and 'thiazole'	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 14:00
31	BRS	L31	13	L30 and ('carbon black' or 'coal' or 'calcium carbonate' or 'clay' or 'silica' or 'mica' or 'talc' or 'ground rubber')	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 14:01

	Type	L #	Hits	Search Text	DBs	Time Stamp
32	BRS	L32	12	L31 and ('guanidine' or 'dithiocarbamate')	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 14:03
33	BRS	L33	502	'EPDM' and 'mercaptans'	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 14:03
34	BRS	L34	89	L33 and ('vulcanized' or 'vulcanization')	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 14:05
35	BRS	L35	83	L34 and 'oil'	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 14:06
36	BRS	L36	32	L35 and ('paraffinic' or 'naphthenic')	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 14:09
37	BRS	L38	0	L37 and 'bacteria'	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 14:10
38	BRS	L37	31	L36 and 'carbon black'	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 14:33

Type	L #	Hits	Search Text	DBs	Time Stamp
			("6515059" "4461875" "4514442" "4370440" "5700538" "4919183" "4794134" "4956405" "4766180" "5280071" "5504159" "5872167" "6077874" "5777012" "5883139" "4443279" "5298547" "5464894" "5647400" "6207754" "5268051" "4589804" "5593748" "5772816" "5468550").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 14:39
39 BRS	L39	49			
40 BRS	L40	12	L39 and ('pond' or 'tank' or 'aquaculture')	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 14:39
41 IS&R	L41	545	((119/201) or (119/200) or (119/204) or (119/207) or (119/208) or (119/214) or (119/215)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 16:07
42 BRS	L42	8	L41 and 'liner'	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 16:07
43 BRS	L43	48	L41 and 'rubber'	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/17 16:07

04

PLUS Search Results for S/N 10683604, Searched August 17, 2004

The Patent Linguistics Utility System (PLUS) is a USPTO automated search

system for U.S. Patents from 1971 to the present. PLUS is a query-by-example search system which produces a list of patents that are

most closely related linguistically to the application searched. This search was prepared by the staff of the Scientific and Technical Information Center, SIRA.

6515059
4461875
4514442
4370440
5700538
4919183
4794134
4956405
4766180
5280071
5504159
5872167
6077874
5777012
5883139
4443279
5298547
5464894
5647400
6207754
5268051
4589804
5593748
5772816
5468550

10683604_QUAL

6515059	41
4461875	38
4514442	38
4370440	37
5700538	37
4919183	35
4794134	35
4956405	35
4766180	35
5280071	35
5504159	35
5872167	35
6077874	35
5777012	35
5883139	35
4443279	34
5298547	33
5464894	33
5647400	33
6207754	33
5268051	33
4589804	33
5593748	32
5772816	32
5468550	32

10683604_CLS
Most Frequently Occurring Classifications of Patents Returned
From A Search of 10683604 on August 17, 2004

Original Classifications

2 524/100
2 525/164

Cross-Reference Classifications

3 428/141
3 525/240
3 525/331.7
2 156/71
2 428/143
2 428/192
2 428/492
2 428/57
2 521/44.5
2 524/445
2 525/191
2 525/331.8
2 525/509
2 525/518
2 525/88
2 525/95

Combined Classifications

3 156/71
3 428/141
3 428/57
3 525/240
3 525/331.7
2 428/143
2 428/192
2 428/492
2 521/42.5
2 521/44.5
2 524/100
2 524/261
2 524/323
2 524/424
2 524/425
2 524/426
2 524/445
2 525/164
2 525/191
2 525/331.8
2 525/509

10683604_CLS

2 525/518
2 525/88
2 525/95

10683604_CLSTITLES

Titles of Most Frequently Occurring Classifications of Patents Returned

From A Search of 10683604 on August 17, 2004

3 156/71 (1 OR, 2 XR)
 Class 156 : ADHESIVE BONDING AND MISCELLANEOUS CHEMICAL
 MANUFACTURE
 156/1 METHODS
 156/60 .Surface bonding and/or assembly therefor
 156/71 ..Of lamina to building or installed structure

3 428/141 (0 OR, 3 XR)
 Class 428 : STOCK MATERIAL OR MISCELLANEOUS ARTICLES
 428/98 STRUCTURALLY DEFINED WEB OR SHEET (E.G.,
 OVERALL DIMENSION, ETC.)
 428/141 .Continuous and nonuniform or irregular surface
 on layer or component (e.g., roofing, etc.)

3 428/57 (1 OR, 2 XR)
 Class 428 : STOCK MATERIAL OR MISCELLANEOUS ARTICLES
 428/57 SHEETS OR WEBS EDGE SPLICED OR JOINED

3 525/240 (0 OR, 3 XR)
 Class 525 : SYNTHETIC RESINS OR NATURAL RUBBERS -- PART
 OF THE CLASS 520 SERIES
 525/50 .MIXING OF TWO OR MORE SOLID POLYMERS; MIXING
 OF SOLID POLYMER OR SICP WITH SICP OR SP
 FI; MIXING OF SICP
 POLYMER WITH A
 PROCESSES OF
 FORMING OR REACTING; OR THE RESULTANT PR
 ODUCT OF ANY OF THE
 ABOVE OPERATIONS
 525/55 ..At least one solid polymer derived from
 ethylenic reactants only
 525/191 ...Polymer mixture of two or more solid
 polymers derived from ethylenically unsatu
 rated reactants
 only; or mixtures of said polymer mixture
 with a chemical
 treating agent; or products or processes o
 f preparing any

10683604_CLSTITLES

of the above mixtures

525/240Solid polymer derived from ethylene or propylene

3 525/331.7 (0 OR, 3 XR)

Class 525 : SYNTHETIC RESINS OR NATURAL RUBBERS -- PART OF THE CLASS 520 SERIES

525/50 .MIXING OF TWO OR MORE SOLID POLYMERS; MIXING OF SOLID POLYMER OR SICP WITH SICP OR SP

FI; MIXING OF SICP

POLYMER WITH A

PROCESSES OF

ODUCT OF ANY OF THE

WITH AN ETHYLENIC AGENT; MIXING OF SOLID CHEMICAL TREATING OR ETHYLENIC AGENT; OR FORMING OR REACTING; OR THE RESULTANT PR

ABOVE OPERATIONS

525/55 ..At least one solid polymer derived from ethylenic reactants only

525/326.1 ...Chemically after treated solid polymers derived from ethylenically unsaturated mon

omers only

525/331.7Ethylene-propylene terpolymer, e.g., EPT, EPDM, EPR, etc.

2 428/143 (0 OR, 2 XR)

Class 428 : STOCK MATERIAL OR MISCELLANEOUS ARTICLES STRUCTURALLY DEFINED WEB OR SHEET (E.G., OVERALL DIMENSION, ETC.)

428/98 .Continuous and nonuniform or irregular surfac
e on layer or component (e.g., roofing, etc.)

428/141 ..Particulate matter

2 428/192 (0 OR, 2 XR)

Class 428 : STOCK MATERIAL OR MISCELLANEOUS ARTICLES STRUCTURALLY DEFINED WEB OR SHEET (E.G., OVERALL DIMENSION, ETC.)

428/98 .Edge feature

2 428/492 (0 OR, 2 XR)

Class 428 : STOCK MATERIAL OR MISCELLANEOUS ARTICLES COMPOSITE (NONSTRUCTURAL LAMINATE)

428/411.1 .Of natural rubber

2 521/42.5 (1 OR, 1 XR)

Class 521 : SYNTHETIC RESINS OR NATURAL RUBBERS -- PART

10683604 CLSTITLES

OF THE CLASS 520 SERIES

521/40 .PROCESS OF TREATING SCRAP OR WASTE PRODUCT
CONTAINING SOLID ORGANIC POLYMER TO RECO
VER A SOLID POLYMER
THEREFROM
521/40.5 ..Process of treating scrap or waste product
containing at least one polymer derived f
rom ethylenic
unsaturated monomers only
521/41 ...Treating rubber (or rubberlike materials) o
r
polymer derived from a monomer having at l
east two
ethylenic unsaturated moieties
521/42.5Treating with organic chalcogen-containing
material
2 521/44.5 (0 OR, 2 XR)
Class 521 : SYNTHETIC RESINS OR NATURAL RUBBERS -- PART
OF THE CLASS 520 SERIES
521/40 .PROCESS OF TREATING SCRAP OR WASTE PRODUCT
CONTAINING SOLID ORGANIC POLYMER TO RECO
VER A SOLID POLYMER
THEREFROM
521/40.5 ..Process of treating scrap or waste product
containing at least one polymer derived f
rom ethylenic
unsaturated monomers only
521/41 ...Treating rubber (or rubberlike materials) o
r
polymer derived from a monomer having at l
east two
ethylenic unsaturated moieties
521/44.5Treating with hydrocarbon or halogenated
hydrocarbon material
2 524/100 (2 OR, 0 XR)
Class 524 : SYNTHETIC RESINS OR NATURAL RUBBERS -- PART
OF THE CLASS 520 SERIES
524/1 ..Adding a NRM to a preformed solid polymer or
preformed specified intermediate conde
nsation product,
composition thereof; or process of tre
ating or composition
thereof
524/80 ...DNRM which is other than silicon dioxide,
glass, titanium dioxide, water, halohyd
rocarbon,

10683604 CLSTITLES

hydrocarbon, or elemental carbon

524/81

....Organic DNRM

524/86

.....Nitrogen atom as part of a hetero ring
DNRM

524/99

.....Six-membered nitrogen ring, e.g.,
pyridine, etc.

524/100

.....Six-membered nitrogen ring having two o

r

more ring nitrogen atoms

2 524/261 (1 OR, 1 XR)

Class 524 : SYNTHETIC RESINS OR NATURAL RUBBERS -- PART
OF THE CLASS 520 SERIES

524/1

..Adding a NRM to a preformed solid polymer or
preformed specified intermediate condens

ation product,

composition thereof; or process of treat

ing or composition

thereof

524/80

...DNRM which is other than silicon dioxide,
glass, titanium dioxide, water, halohydro

carbon,

hydrocarbon, or elemental carbon

524/81

....Organic DNRM

524/261

.....Organic silicon compound having at least
one oxygen atom DNRM

2 524/323 (1 OR, 1 XR)

Class 524 : SYNTHETIC RESINS OR NATURAL RUBBERS -- PART
OF THE CLASS 520 SERIES

524/1

..Adding a NRM to a preformed solid polymer or
preformed specified intermediate condens

ation product,

composition thereof; or process of treat

ing or composition

thereof

524/80

...DNRM which is other than silicon dioxide,
glass, titanium dioxide, water, halohydro

carbon,

hydrocarbon, or elemental carbon

524/81

....Organic DNRM

524/323

.....Aryl-OH or salt or aryl-O-metal bond DNRM

2 524/424 (1 OR, 1 XR)

Class 524 : SYNTHETIC RESINS OR NATURAL RUBBERS -- PART
OF THE CLASS 520 SERIES

524/1

..Adding a NRM to a preformed solid polymer or

10683604 CLSTITLES

ation product,
ing or composition

preformed specified intermediate condens
composition thereof; or process of treat
thereof

524/80 ...DNRM which is other than silicon dioxide,
carbon, glass, titanium dioxide, water, halohydro

524/401 hydrocarbon, or elemental carbon
....Inorganic compound devoid of a silicon ato
m

DNRM
524/424Carbon atom DNRM

2 524/425 (1 OR, 1 XR)

Class 524 : SYNTHETIC RESINS OR NATURAL RUBBERS -- PART
OF THE CLASS 520 SERIES

524/1 ..Adding a NRM to a preformed solid polymer or
preformed specified intermediate conden
sation product,
ting or composition

composition thereof; or process of trea

524/80 ...DNRM which is other than silicon dioxide,
ocarbon, glass, titanium dioxide, water, halohydr

524/401 hydrocarbon, or elemental carbon
....Inorganic compound devoid of a silicon ato
m

DNRM
524/424Carbon atom DNRM
524/425Calcium carbonate, e.g., limestone,
marble, etc.

2 524/426 (1 OR, 1 XR)

Class 524 : SYNTHETIC RESINS OR NATURAL RUBBERS -- PART
OF THE CLASS 520 SERIES

524/1 ..Adding a NRM to a preformed solid polymer or
preformed specified intermediate conde
nsation product,
ating or composition

composition thereof; or process of tre

524/80 ...DNRM which is other than silicon dioxide,
rocarbon, glass, titanium dioxide, water, halohyd

524/401 hydrocarbon, or elemental carbon
....Inorganic compound devoid of a silicon ato

10683604_CLSTITLES

m

DNRM

524/424Carbon atom DNRM
 524/425Calcium carbonate, e.g., limestone,
 marble, etc.
 524/426Solid polymer derived from at least one
 diene monomer

2 524/445 (0 OR, 2 XR)

Class 524 : SYNTHETIC RESINS OR NATURAL RUBBERS -- PART
 OF THE CLASS 520 SERIES

524/1 ..Adding a NRM to a preformed solid polymer or
 preformed specified intermediate conden

sation product,

composition thereof; or process of trea

ting or composition

thereof

524/80 ...DNRM which is other than silicon dioxide,
 glass, titanium dioxide, water, halohydr

ocarbon,

hydrocarbon, or elemental carbon

524/442Soil or inorganic silicon DNRM (other than
 silicon dioxide, glass, quartz, novaculit

e, or silicon

dioxide type)

524/444Aluminum atom DNRM

524/445Clay, e.g., fullers earth, fire clay,
 etc.

2 525/164 (2 OR, 0 XR)

Class 525 : SYNTHETIC RESINS OR NATURAL RUBBERS -- PART
 OF THE CLASS 520 SERIES

525/50 .MIXING OF TWO OR MORE SOLID POLYMERS; MIXING
 OF SOLID POLYMER OR SICP WITH SICP OR S

PFI; MIXING OF SICP

WITH AN ETHYLENIC AGENT; MIXING OF SOLI

D POLYMER WITH A

CHEMICAL TREATING OR ETHYLENIC AGENT; O

R PROCESSES OF

FORMING OR REACTING; OR THE RESULTANT P

RODUCT OF ANY OF THE

ABOVE OPERATIONS

525/55 ..At least one solid polymer derived from
 ethylenic reactants only

525/154 ...With saturated aldehyde or aldehyde
 derivative (including methylol ethers or

condensates)

reactant or solid polymer thereof; or wit

10683604_CLSTITLES

h solid copolymer
 ehyde derivative
 tants forming the
 I wherein at least
 dehyde or aldehyde
 oduct thereof; or
 yde deriv 525/157
 al
 alcogen) reactant
 least one of
 lid polymer
 525/164
 2 525/191 (0 OR, 2 XR)
 Class 525.: SYNTHETIC RESINS OR NATURAL RUBBERS -- PART
 525/50 OF THE CLASS 520 SERIES
 .MIXING OF TWO OR MORE SOLID POLYMERS; MIXING
 OF SOLID POLYMER OR SICP WITH SICP OR SPF
 I; MIXING OF SICP
 POLYMER WITH A
 PROCESSES OF
 DUCT OF ANY OF THE
 525/55 ABOVE OPERATIONS
 ..At least one solid polymer derived from
 ethylenic reactants only
 525/191 ...Polymer mixture of two or more solid
 polymers derived from ethylenically unsatur
 ated reactants
 ith a chemical
 preparing any
 derived from at least one aldehyde or ald
 reactant wherein at least one of the reac
 solid copolymer is saturated; or with SPF
 one of the necessary ingredients is an al
 derivative reactant or with a reaction pr
 with SICP containing an aldehyde or aldeh
Contacting with an amine, a materi
 containing a N-C(=X)- or N-S(=O)- (X is ch
 and an aldehyde or aldehyde derivative at
 which is saturated, their condensate or so
 thereof
Solid polymer derived from unsaturated
 hydrocarbon

10683604_CLSTITLES

2 525/331.8 (0 OR, 2 XR)

Class 525 : SYNTHETIC RESINS OR NATURAL RUBBERS -- PART
OF THE CLASS 520 SERIES

525/50 .MIXING OF TWO OR MORE SOLID POLYMERS; MIXING
OF SOLID POLYMER OR SICP WITH SICP OR S

PFI; MIXING OF SICP

D POLYMER WITH A

R PROCESSES OF

RODUCT OF ANY OF THE

WITH AN ETHYLENIC AGENT; MIXING OF SOLI

CHEMICAL TREATING OR ETHYLENIC AGENT; O

FORMING OR REACTING; OR THE RESULTANT P

ABOVE OPERATIONS

525/55 ..At least one solid polymer derived from
ethylenic reactants only

525/326.1 ...Chemically after treated solid polymers
derived from ethylenically unsaturated mo

nomers only

525/331.7Ethylene-propylene terpolymer, e.g., EPT,
EPDM, EPR, etc.

525/331.8Sulfur containing chemical treating agent

2 525/509 (0 OR, 2 XR)

Class 525 : SYNTHETIC RESINS OR NATURAL RUBBERS -- PART
OF THE CLASS 520 SERIES

525/50 .MIXING OF TWO OR MORE SOLID POLYMERS; MIXING
OF SOLID POLYMER OR SICP WITH SICP OR SPFI

; MIXING OF SICP

OLYMER WITH A

ROCESSES OF

UCT OF ANY OF THE

WITH AN ETHYLENIC AGENT; MIXING OF SOLID P

CHEMICAL TREATING OR ETHYLENIC AGENT; OR P

FORMING OR REACTING; OR THE RESULTANT PROD

ABOVE OPERATIONS

525/509 ..Solid polymer or SICP derived from at least
one amine-, N-C(=X)- or N-S(=O) containing

reactant and at

least one aldehyde or aldehyde-type reactan

t (X is

chalcogen)

2 525/518 (0 OR, 2 XR)

Class 525 : SYNTHETIC RESINS OR NATURAL RUBBERS -- PART
OF THE CLASS 520 SERIES

525/50 .MIXING OF TWO OR MORE SOLID POLYMERS; MIXING
OF SOLID POLYMER OR SICP WITH SICP OR SPF

10683604_CLSTITLES

I; MIXING OF SICP

POLYMER WITH A

PROCESSES OF

DUCT OF ANY OF THE

WITH AN ETHYLENIC AGENT; MIXING OF SOLID

CHEMICAL TREATING OR ETHYLENIC AGENT; OR

FORMING OR REACTING; OR THE RESULTANT PRO

ABOVE OPERATIONS

525/509

..Solid polymer or SICP derived from at least one amine-, N-C(=X)- or N-S(=O) containing

reactant and at

least one aldehyde or aldehyde-type reacta

nt (X is

chalcogen)

525/518

...Mixed with unsaturated reactant or polymer derived therefrom

2 525/88

(0 OR, 2 XR)

Class

525 : SYNTHETIC RESINS OR NATURAL RUBBERS -- PART OF THE CLASS 520 SERIES

525/50

.MIXING OF TWO OR MORE SOLID POLYMERS; MIXING OF SOLID POLYMER OR SICP WITH SICP OR SPF

I; MIXING OF SICP

POLYMER WITH A

PROCESSES OF

DUCT OF ANY OF THE

WITH AN ETHYLENIC AGENT; MIXING OF SOLID

CHEMICAL TREATING OR ETHYLENIC AGENT; OR

FORMING OR REACTING; OR THE RESULTANT PRO

ABOVE OPERATIONS

525/55

..At least one solid polymer derived from ethylenic reactants only

525/88

...Mixing of solid block or block-type copolymer with other solid polymer; mixing

of said polymer

mixture with a chemical treating agent; mix

ing of a block

or block-type copolymer with SICP or with S

PFI; or

processes of forming or reacting; or the re

sultant product

of any of the above operations

2 525/95

(0 OR, 2 XR)

Class

525 : SYNTHETIC RESINS OR NATURAL RUBBERS -- PART OF THE CLASS 520 SERIES

525/50

.MIXING OF TWO OR MORE SOLID POLYMERS; MIXING OF SOLID POLYMER OR SICP WITH SICP OR SP

10683604_CLSTITLES

FI; MIXING OF SICP

POLYMER WITH A

PROCESSES OF

ODUCT OF ANY OF THE

525/55

525/88

of said polymer

xing of a block

SPFI; or

esultant product

525/95

rated

which contains

WITH AN ETHYLENIC AGENT; MIXING OF SOLID

CHEMICAL TREATING OR ETHYLENIC AGENT; OR

FORMING OR REACTING; OR THE RESULTANT PR

ABOVE OPERATIONS

..At least one solid polymer derived from ethylenic reactants only

...Mixing of solid block or block-type copolymer with other solid polymer; mixing

mixture with a chemical treating agent; mi

or block-type copolymer with SICP or with

processes of forming or reacting; or the r

of any of the above operations

....Mixture contains solid block or block-type copolymer derived from ethylenically unsatu

hydrocarbon reactants only at least one of

at least four carbon atoms